

Certificate of Compliance

Certificate Number(s):

UL-US-L336024-21-
20800102-15

Report Reference:

E336024-20100802

Issue Date:

2025-09-29

Issued to:

icotek GmbH & Co. KG
Bischof-Von-Lipp-Str. 1, Eschach, 73569, DE

This certificate confirms that representative samples of:
NITW2 - Industrial Control Panels - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL 508A, 3rd Ed., Issue Date: 2018-04-24, Revision Date: 2022-07-28

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-US-L336024-21-20800102-15
Report reference: E336024-20100802
Issue Date: 2025-09-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Industrial Control Panels

Model(s): Type KEL-SCDP, : KEL-SCDP 25, KEL-SCDP 32, KEL-SCDP 40, KEL-SCDP 50

Type KEL-SCDP-TR, : KEL-SCDP-TR 25, KEL-SCDP-TR 32, KEL-SCDP-TR 40, KEL-SCDP-TR 50, KEL-SCDP-TR 63/1, KEL-SCDP-TR 63/5+1

Model(s): Type KEL-DPZ, : KEL-DPZ 6|12, KEL-DPZ 6|18, KEL-DPZ 6|18-1, KEL-DPZ 6|23, KEL-DPZ 6|27, KEL-DPZ 10|8, KEL-DPZ 10|14, KEL-DPZ 10|15, KEL-DPZ 10|16, KEL-DPZ 10|26, *KEL-DPZ 16/11, KEL DPZ 16/14, KEL-DPZ 16/20, KEL-DPZ 16/25, KEL-DPZ 16/34*

CABLE ENTRY FRAME BLIND PLATES

Model(s): Type BPK, : BPK-B, BPK 10, BPK 16, BPK 24, BPK-B-RF A, BPK 10-RF A, BPK 16-RF A, BPK 24-RF A.

CABLE ENTRY INSERTS

Model(s): Type KT-SC, : KT-SC small, KT-SC large

Type QT-DT, : QT-DT 1, QT-DT 2, QT-DT 3, QT-DT 8, QT-DT 9, QT-DT 10, QT-DT 11, QT-DT 12

Type QTMB, : QTBG, QTMB 14-17, QTMB 16-19, QTMB 18-21, QTMB 20-23, QTMB 22-25, QTMB 24-27, QTMB 26-29

CABLE ENTRY INSERTS QT

Model(s): QT2|3, QT2|4, QT2|5, QT2|5,5, QT2|6, QT2|6,5, QT2|7., QT4|3, QT4|4, QT4|4,5, QT4|5, QT4|5,5, QT4|6., QT-ASI1, QT-ASI2, QT tele., QTB, QT 1, QT 2, QT 3, QT 4, QT 5, QT 6, QT 7, QT 8, QT 9, QT 10, QT 11, QT 12, QT 13, QT 14.

CABLE ENTRY INSERTS for KEL 183

Model(s): KTMB-O, KTMB-P, KTMB-Q, KTMB-R, KTMB-S.

CABLE ENTRY INSERTS for KEL FL

Model(s): FT 1|0, FT 1|A, FT 1|B, FT 1|C, FT 1|E, FT 1|F, FT 2|0, FT 2|A, FT 2|B, FT 2|C, FT 2|G, FT 3|0, FT 3|A, FT 3|B, FT 3|C, FT 4|0, FT 4|A, FT 4|B, FT 4|C

CABLE ENTRY INSERTS for KEL-JUMBO

Model(s): KTF 00, KTF 34, KTF 38, KTF 42, KTF 46, KTF 50, KTF 54, KTF 58, KTF 62., KTF SCDP-A

CABLE ENTRY PLATES

Model(s): Type KEL-DPU OD, : KEL-DPU 24|13 OD, KEL-DPU 24|14 OD, KEL-DPU 24|16 OD, KEL-DPU 24|16-1 OD, KEL-DPU 24|17 OD, KEL-DPU 24|20 OD, KEL-DPU 24|21 OD, KEL-DPU 24|32 OD

Cable entry frames

Model(s): Type DB, : DB 3×1 | M32, DB 3×2 | M50, DB 3×3 | M75, DB 3×4 | M75

Type KEL, : KEL 10|3, KEL 10|6, KEL 16|2, KEL 16|4, KEL 16|5, KEL 16|8, KEL 24|4, KEL 24|5, KEL 24|7, KEL 24|10, KEL 24|9-E, KEL 24|12-E, KEL 24|15-E, KEL 24|8-MT, KEL 24|14-MT, KEL 24|17-MT, KEL 24|20-MT, KEL 24|12-2 MT, KEL 24|21-2 MT, KEL 24|24-2 MT, KEL 24|27-2 MT, KEL 24|30-2 MT, KEL-B1, KEL-B4, KEL-E2, KEL-

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-US-L336024-21-20800102-15
Report reference: E336024-20100802
Issue Date: 2025-09-29

E3, KEL-E4, KEL-E5, KEL-JUMBO 1, KEL-JUMBO 2, KEL-FL|A, KEL-FL|B, KEL-FL|C, KEL-FL|D, KEL-FL|E, KEL-FL|F, KEL-FL|G, KEL-FL|H, KEL-FL|I, KEL-FL|J, KEL-FL|K, KEL-FL|L

Type KEL 183, : KEL 183|2, KEL 183|5, KEL 183|8, KEL 183-E4, KEL 183-E16

Type KEL 24, : KEA 24 W90S, KEA 24 W90 R

Type KEL-ER, : KEL-ER 16|2, KEL-ER 16|5, KEL-ER 16|8, KEL-ER B4, KEL-ER B1, KEL-ER 10|3, KEL-ER 10|6, KEL-ER 24|10, KEL-ER 24|4, KEL-ER 24|7, KEL-ER 16|2 V2R, KEL-ER 16|5 V2A, KEL-ER 16|8 V2A, KEL-ER B4 V2A, KEL-ER B1 V2A, KEL-ER 10|3 V2A, KEL-ER 10|6 V2A, KEL-ER 24|10 V2A, KEL-ER 24|4 V2A, KEL-ER 24|7 V2A, KEL-ER-E 2, KEL-ER-E 3, KEL-ER-E 4, KEL-ER-E 5, KEL-ER-E 2 V2A, KEL-ER-E 3 V2A, KEL-ER-E 4 V2A, KEL-ER-E 5 V2A

Type KEL-FA, : KEL-FA 16-5, KEL-FA 16-8, KEL-FA 24-4, KEL-FA 10-3, KEL-FA 24-7, KEL-FA 24-10, KEL-FA 10-6, KEL-FA 16-2

Type KEL-FG, : KEL-FG-ER-A4, KEL-FG-ER-A7, KEL-FG-ER-A10, KEL-FG-ER-B1, KEL-FG-ER-B4, KEL-FG-ER-E2, KEL-FG-ER-E3, KEL-FG-ER-E5, KEL-FG-A4, KEL-FG-A7, KEL-FG-A10, KEL-FG-B1, KEL-FG-B4, KEL-FG-E2, KEL-FG-E3, KEL-FG-E5

Type KEL-FW-B, : KEL-FW-B1, KEL-FW-B4

Type KEL-QUICK, : KEL-QUICK 24|4, KEL-QUICK 16|5, KEL-QUICK B2, KEL-QUICK B4, KEL-QUICK 16|4, KEL-QUICK 16|8, KEL-QUICK 24|5, KEL-QUICK 24|10, KEL-QUICK 10|6, KEL-QUICK E2, KEL-QUICK E3, KEL-QUICK E4, KEL-QUICK E5, KEL-QUICK 16|2, KEL-QUICK 10|3, KEL-QUICK 24|7

Type KEL-SNAP, : KEL-SNAP 24E, KEL-SNAP 24MT

Type KEL-U, : KEL-U 16|2, KEL-U 16|5, KEL-U 16|8, KEL-U B4, KEL-U B1, KEL-U 10|3, KEL-U 10|6, KEL-U 24|10, KEL-U 24|4, KEL-U 24|7.

Cable entry inserts (large)

Model(s): AT, : AT-B blind, AT-M 12x1.0, AT-M 16x1.5, AT-M 20x1.5, AT-M 25x1.5, AT-PP

AT-KS, : AT-KS, AT-KS-AK-CAT6, AT-KS-AK-HDMI, AT-KS-AK-USB 3.0

QT-AT, : QT-AT-B blind, QT-AT-FL, QT-AT-M 12x1.0, QT-AT-M 16x1.5, QT-AT-M 20x1.5, QT-AT-M 25x1.5, QT-AT-PP

QT-AT-KS, : QT-AT-KS-USB 3.0, QT-AT-KS-CAT6, QT-AT-KS-HDMI

Cable entry inserts (small)

Model(s): QT-AT, : QT-AT-K-M 12x1.0, QT-AT-K-M 12x1.5, QT-AT-K-M 5x0.5, QT-AT-K-M 8x0.5, QT-AT-K-M 8x1.0

Model(s): AT-K, : AT-K-M 12x1.0 with Schottkupplung, AT-K-M 12x1.0, AT-K-M 12x1.5, AT-K-M 14x1.0 with Schottkupplung, AT-K-M 14x1.0, AT-K-M 16x1.5, AT-K-M 5x0.5, AT-K-M 8x0.5, AT-K-M 8x1.0, AT-K-Z 1/4", AT-K-Z 1/8"

Cable entry inserts large

Model(s): KT 16, KT 17, KT 18, KT 19, KT 20, KT 21, KT 22, KT 23, KT 24, KT 25, KT 26, KT 27, KT 28, KT 29, KT 30, KT 31, KT 32, KT 33, KT 34., KT-DPF-B, KT-DPF-C., ATG, BTG., KTMB-G, KTMB-H, KTMB-I, KTMB-J, KTMB-K., DT 1, DT 2, DT 3, DT 4, DT 5., KTG 13, KTG 14, KTG 15, KTMB-S 12-15, KTMB-S 14-17, KTMB-S 16-19, KTMB-S 18-21, KTMB-S 20-23, KTMB-S 22-25, KTMB-S 24-27, KTMB-S 26-29

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-US-L336024-21-20800102-15
Report reference: E336024-20100802
Issue Date: 2025-09-29

Cable entry inserts small

Model(s): KT-DPF-A, KTRS 12, KTRS 13, KTRS 16, KT 4|2, KT 4|3, KT 4|4, KT 4|5, KT 4|6., KTMB-A, KTMB-B, KTMB-C, KTMB-D, KTMB-E., KT 2|1, KT 2|2, KT 2|3, KT 2|4, KT 2|5, KT 2|6, KT 2|7, KT 2|8., BTK, KT 1, KT 2, KT 3, KT 4, KT 5, KT 6, KT 7, KT 8, KT 9, KT 10, KT 11, KT 12, KT 13, KT 14, KT 15, KTS 16, KTS 17, KT-ASI, KT-ASI2|rl, KT-ASI2|ll, KT tele, KT tele1, KT tele2, KT oval, KT S1, KTMBS 4-7, KTMBS 6-9, KTMBS 8-11, KTMBS 10-12
Type DT, : DT 7, DT 8

Cable entry plates

Model(s): Type KEL-DP, : KEL-DP 32|10-2, KEL-DP 32|11 A, KEL-DP 32|13 A, KEL-DP 32|7 A, KEL-DP 16|1, KEL-DP 16|3, KEL-DP 16|7, KEL-DP 24|14, KEL-DP 24|17, KEL-DP 24|18, KEL-DP 24|19, KEL-DP 24|26, KEL-DP 24|42, KEL-DP 24|48, KEL-DP 24|50, KEL-DP 25|4, KEL-DP 25|6, KEL-DP 32|10, KEL-DP 40|9, KEL-DP 40|16, KEL-DP 40|17, KEL-DP 50|9, KEL-DP 50|11, KEL-DP 50|12, KEL-DP 50|16, KEL-DP 50|18, KEL-DP 50|20, KEL-DP 50|35, KEL-DP-E 46|7, KEL-DP-E 46|9, KEL-DP-E 86|13, KEL-DP-E 86|17, KEL-DP-E 112|16, KEL-DP-E 112|21, KEL-DP-S 69|8

Type KEL-DPF, : KEL-DPF 25|3-17, KEL-DPF 32|6-24, KEL-DPF 40|11-32, KEL-DPF 50|17-42, KEL-DPF 63|23-55., KEL-DPF 25|3-12, KEL-DPF 32|6-18, KEL-DPF 40|12-27, KEL-DPF 50|22-36, KEL-DPF 63|27-50, KEL-DPF 75|39-60, KEL-DPF 85|48-70, KEL-FG-A4, KEL-FG-A7, KEL-FG-A10, KEL-FG-B1, KEL-FG-B4, KEL-FG-E2, KEL-FG-E3, KEL-FG-E5

Type KEL-DPU, : KEL-DPU 24|13, KEL-DPU 24|14, KEL-DPU 24|16, KEL-DPU 24|16-1, KEL-DPU 24|17, KEL-DPU 24|20, KEL-DPU 24|21, KEL-DPU 24|32.

Type KEL-DPZ, : KEL-DPZ 24|14, KEL-DPZ 24|15, KEL-DPZ 24|16, KEL-DPZ 24|17, KEL-DPZ 24|25, KEL-DPZ 24|26, KEL-DPZ 24|32, KEL-DPZ 24|42, KEL-DPZ 24|121, Type KEL-DPZ-B 13, KEL-DPZ-B 17, KEL-DPZ-B 25, Type KEL-DPZ-E 112|7, KEL-DPZ-E 112|21, Type KEL-DPZ-KL

Type KEL-DPZ round, : KEL-DPZ 25|3, KEL-DPZ 25|4, KEL-DPZ 32|4, KEL-DPZ 32|4-2, KEL-DPZ 32|7, KEL-DPZ 40|8, KEL-DPZ 50|8, KEL-DPZ 50|10, KEL-DPZ 50|12, KEL-DPZ 50|19, KEL-DPZ 50|78, KEL-DPZ 63|9, KEL-DPZ 63|13, KEL-DPZ 63|14, KEL-DPZ 63|35

Type KEL-DPZ-HD, : KEL-DPZ-HD 32|4, KEL-DPZ-HD 32|4-2, KEL-DPZ-HD 32-7

Type KEL-JUMBO flex, : Type KEL-JUMBO flex 27-48, KEL-JUMBO flex 47-68.

Type KEL-QTA, : KEL-QTA 10|1-DP18, KEL-QTA 10|2-DP6, KEL-QTA 24|2-DP18, KEL-QTA 24|4, KEL-QTA B4, KEL-QTA 32, KEL-QTA 50.

Type KEL-QTE, : KEL-QTE 20|2,5, KEL-QTE 20|3, KEL-QTE 20|4, KEL-QTE 20|5.

Type KEL-ULTRA flex, : Type KEL-ULTRA-flex 1, KEL-ULTRA-flex 2.

Model(s): Type KEL-DP, : KEL-DP 6|6, KEL-DP 6|12, KEL-DP 6|14, KEL-DP 6|25, KEL-DP 10|8, KEL-DP 10|12, KEL-DP 10|14, KEL-DP 10|16, KEL-DP 10|26, KEL-DP 16|10, KEL-DP 16|11, *KEL-DP 16|20, KEL-DP 16|22, KEL-DP 16|23, KEL-DP 16|26, KEL-DP 24|12*

Locknuts

Model(s): Type KGM locknut, : KGM 40, KGM 32, KGM 50, KGM 63, KGM 75, KGM 85, KGM 25

Plugs

Model(s): Type ST, : ST 1, ST 2, ST 3, ST 4, ST 5, ST 6, ST 7, ST 8, ST 9, ST 10, ST 11, ST 12, ST 13, ST 14, ST 15, ST 16, ST 17, ST ASI.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-US-L336024-21-20800102-15
Report reference: E336024-20100802
Issue Date: 2025-09-29

Type ST-B, : ST-B5, ST-B6, ST-B7, ST-B8, ST-B9, ST-B10, ST-B11, ST-B12, ST-B13, ST-B14, ST-B15, ST-B16, ST-B17, ST-B18, ST-B19, ST-B20, ST-B21, ST-B22, ST-B23, ST

Split cable glands

Model(s): Nuts for Type KVT, : KGM-SUB-D9, KGM-SUB-D25, KGM-PB, KGM 25, KGM 32, KGM 40, KGM 63.

Type KVT, : KVT 20 gy, KVT 20 bk, KVT 25, KVT 32, KVT 40, KVT 50|2, KVT 63|1, KVT 63|4, KVT 80|3, KVT 80|6, KVT 32-W90, KVT 50|4-W90, KVT 50|1-W90.

Type KVT-ER, : KVT-ER 25, KVT-ER 32, KVT-ER 50|2, KVT-ER 63|1, KVT-ER 63|4

Type KVT-SNAP, : KVT-SNAP 32, KVT-SNAP 40, KVT-SNAP 63|4, KVT-SNAP 63|1.

Type QVT, : QVT 25, QVT 32, QVT 40/2, QVT 50|4.